








STERLING CRANE

Folding Fly, 20° Offset, 37' Extension




 ft	 ft > < lbs			CODE >0052< L138 0D20.x(x)						
	43	135	135	148	148	148	161	161	174	184
18	27,100									
20	27,000									
22	26,200									
24	25,200									
26	24,200									
28	23,300									
30	22,500									
32	21,800									
34	21,100									
36	20,400									
38	19,800	27,100	22,100							
40	19,000	27,000	21,900							
45	16,800	25,800	21,100	25,400	24,300	20,500	23,200	19,800		
50	14,800	24,700	20,200	23,600	23,300	19,700	22,400	19,200	17,400	15,400
55	13,100	22,600	19,100	20,900	21,700	18,700	20,500	18,400	17,100	15,200
60	11,500	19,800	18,000	18,000	19,400	17,700	17,700	17,500	16,300	14,700
65	10,200	17,200	17,000	15,500	16,900	16,800	15,300	16,700	15,200	14,100
70		15,000	16,100	13,400	14,800	15,600	13,300	14,800	13,300	12,900
75		13,100	15,000	11,500	12,900	14,100	11,400	13,000	11,500	11,500
80		11,400	13,700	9,800	11,300	12,400	9,800	11,400	10,000	9,900
85		9,900	12,200	8,400	9,800	10,900	8,400	9,900	8,600	8,600
90		8,600	10,800	7,100	8,500	9,700	7,100	8,700	7,400	7,300
95		7,400	9,600	6,000	7,400	8,500	6,000	7,600	6,200	6,300
100		6,300	8,600	4,900	6,300	7,400	5,000	6,500	5,200	5,200
105		5,300	7,600	3,900	5,300	6,500	4,000	5,600	4,300	4,300
110		4,500	6,700	3,100	4,500	5,600	3,200	4,700	3,500	3,500
115		3,700	5,900		3,700	4,800		4,000		
120			5,200			4,100		3,200		
125			4,500			3,400				
130			3,800			2,800				
135			3,200							
140			2,600							
* n *	2	2	2	2	2	2	2	2	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 20°	 33,100 lbs	 27 x 25 ft	 360°		
--	---	-------	--	--	---	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 37' Extension





 ft	 ft > < lbs			CODE >0054< L138 0E20 .x(x)						
	43	135	135	148	148	148	161	161	174	184
18	29,800									
20	29,700									
22	28,800									
24	27,800									
26	26,600									
28	25,700									
30	24,800									
32	24,000									
34	23,200									
36	22,500									
38	21,800	29,800	24,300							
40	20,900	29,700	24,100							
45	18,500	28,400	23,200	27,900	26,700	22,600	25,500	21,800		
50	16,300	27,100	22,200	27,000	25,700	21,700	24,600	21,100	19,200	17,000
55	14,400	26,000	21,100	25,900	24,400	20,600	23,600	20,200	18,800	16,700
60	12,700	24,900	19,900	24,900	23,200	19,500	22,500	19,300	18,000	16,100
65	11,300	24,000	18,700	23,600	22,000	18,500	21,400	18,400	17,300	15,500
70		22,400	17,700	21,100	20,900	17,600	20,300	17,500	16,600	15,000
75		20,400	16,800	18,700	19,600	16,700	18,600	16,700	15,900	14,400
80		18,200	16,000	16,600	18,000	15,900	16,500	16,000	15,300	13,800
85		16,300	15,100	14,700	16,100	15,200	14,700	15,300	14,700	13,300
90		14,600	14,400	13,100	14,500	14,400	13,100	14,400	13,200	12,700
95		13,100	13,600	11,600	13,000	13,700	11,600	13,200	11,800	11,700
100		11,700	12,700	10,200	11,700	12,800	10,300	11,800	10,500	10,500
105		10,400	12,000	9,000	10,400	11,600	9,100	10,600	9,300	9,300
110		9,300	11,400	7,900	9,300	10,500	8,000	9,500	8,300	8,300
115		8,300	10,600	6,900	8,300	9,500	7,000	8,600	7,300	7,300
120		7,400	9,600	6,000	7,400	8,500	6,100	7,600	6,400	6,400
125		6,500	8,700	5,200	6,500	7,700	5,300	6,800	5,600	5,600
130		5,700	8,000	4,400	5,800	6,900	4,500	6,000	4,800	4,800
135		5,000	7,200	3,700	5,100	6,200	3,800	5,300	4,100	4,100
140		4,200	6,400	3,000	4,400	5,500	3,100	4,700	3,500	3,500
145		3,500	5,700		3,800	4,900		4,100	2,800	2,900
150		2,800	5,000		3,100	4,200		3,500	2,300	2,300
155		2,200	4,400		2,500	3,600		2,900		
160						3,000		2,400		
* n *	2	2	2	2	2	2	2	2	2	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 20° 37ft	 55,100 lbs	 27 x 25 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 37' Extension





 ft	 ft > < lbs			CODE >0056< L138 0F20 .x(x)						
	43	135	135	148	148	148	161	161	174	184
18	29,800									
20	29,700									
22	28,800									
24	27,800									
26	26,600									
28	25,700									
30	24,800									
32	24,000									
34	23,200									
36	22,500									
38	21,800	29,800	24,300							
40	20,900	29,700	24,100							
45	18,500	28,400	23,200	27,900	26,700	22,600	25,500	21,800		
50	16,300	27,100	22,200	27,000	25,700	21,700	24,600	21,100	19,200	17,000
55	14,400	26,000	21,100	25,900	24,400	20,600	23,600	20,200	18,800	16,700
60	12,700	24,900	19,900	25,000	23,200	19,500	22,500	19,300	18,000	16,100
65	11,300	24,000	18,700	24,100	22,000	18,500	21,400	18,400	17,300	15,500
70		23,200	17,700	23,300	20,900	17,600	20,400	17,500	16,600	15,000
75		22,400	16,800	22,600	19,800	16,700	19,400	16,700	15,900	14,400
80		21,600	16,000	21,700	18,800	15,900	18,500	16,000	15,300	13,800
85		20,800	15,100	20,300	17,900	15,200	17,700	15,300	14,700	13,300
90		19,600	14,400	18,400	17,000	14,400	16,900	14,600	14,100	12,700
95		18,200	13,600	16,600	16,200	13,700	16,100	14,000	13,600	12,200
100		16,500	12,700	15,000	15,400	13,000	15,000	13,300	13,000	11,700
105		15,100	12,000	13,600	14,600	12,400	13,600	12,700	12,500	11,200
110		13,800	11,400	12,300	13,600	11,900	12,300	12,100	12,000	10,800
115		12,600	11,000	11,100	12,500	11,300	11,200	11,500	11,200	10,400
120		11,500	10,500	10,000	11,400	10,800	10,100	11,000	10,300	10,000
125		10,400	10,100	9,000	10,400	10,300	9,100	10,600	9,400	9,400
130		9,500	9,600	8,100	9,500	9,800	8,200	9,700	8,500	8,500
135		8,500	9,200	7,300	8,700	9,300	7,400	8,900	7,600	7,600
140		7,600	8,800	6,500	7,900	8,700	6,600	8,100	6,900	6,900
145		6,800	8,500	5,700	7,000	8,100	5,800	7,400	6,200	6,100
150		6,000	8,100	4,900	6,300	7,400	5,200	6,700	5,500	5,500
155		5,300	7,500	4,200	5,600	6,600	4,500	6,000	4,900	4,900
160				3,500	4,900	6,000	3,800	5,300	4,300	4,300
* n *	2	2	2	2	2	2	2	2	2	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 20°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 20° Offset, 37' Extension

 ft	 ft > < lbs			CODE >0058< L138 1020 .x(x)						
	43	135	135	148	148	148	161	161	174	184
18	29,800									
20	29,700									
22	28,800									
24	27,800									
26	26,600									
28	25,700									
30	24,800									
32	24,000									
34	23,200									
36	22,500									
38	21,800	29,800	24,300							
40	20,900	29,700	24,100							
45	18,500	28,400	23,200	27,900	26,700	22,600	25,500	21,800		
50	16,300	27,100	22,200	27,000	25,700	21,700	24,600	21,100	19,200	17,000
55	14,400	26,000	21,100	25,900	24,400	20,600	23,600	20,200	18,800	16,700
60	12,700	24,900	19,900	25,000	23,200	19,500	22,500	19,300	18,000	16,100
65	11,300	24,000	18,700	24,100	22,000	18,500	21,400	18,400	17,300	15,500
70		23,200	17,700	23,300	20,900	17,600	20,400	17,500	16,600	15,000
75		22,400	16,800	22,600	19,800	16,700	19,400	16,700	15,900	14,400
80		21,600	16,000	21,800	18,800	15,900	18,500	16,000	15,300	13,800
85		20,800	15,100	20,800	17,900	15,200	17,700	15,300	14,700	13,300
90		19,600	14,400	19,900	17,000	14,400	16,900	14,600	14,100	12,700
95		18,500	13,600	18,800	16,200	13,700	16,200	14,000	13,600	12,200
100		17,500	12,700	17,700	15,400	13,000	15,500	13,300	13,000	11,700
105		16,500	12,000	16,700	14,600	12,400	14,800	12,700	12,500	11,200
110		15,700	11,400	15,700	13,900	11,900	14,200	12,100	12,000	10,800
115		14,900	11,000	14,800	13,300	11,300	13,500	11,500	11,500	10,400
120		14,100	10,500	14,000	12,700	10,800	12,900	11,000	11,000	10,000
125		13,400	10,100	13,300	12,100	10,300	12,200	10,600	10,600	9,600
130		12,700	9,600	12,300	11,500	9,800	11,600	10,200	10,200	9,300
135		12,100	9,200	11,300	11,000	9,300	11,100	9,900	9,900	9,000
140		11,300	8,800	10,300	10,400	8,800	10,400	9,500	9,600	8,700
145		10,400	8,500	9,400	9,900	8,500	9,600	9,200	9,200	8,400
150		9,600	8,100	8,700	9,400	8,100	8,900	8,900	8,900	8,100
155		8,900	7,700	8,000	9,000	7,800	8,200	8,500	8,500	7,700
160				7,400	8,400	7,400	7,600	8,100	7,900	7,300
* n *	2	2	2	2	2	2	2	2	2	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23

	T	K 20°					
		37ft	110,200 lbs	27 x 25 ft	360°		

