




















# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0064< L138 0E21 .x(x)						
	43	135	135	148	148	148	161	161	174	184
32	13,800									
34	13,800									
36	13,800									
38	13,800									
40	13,700									
45	13,100									
50	12,500									
55	12,000	13,800	12,900	13,600	12,900					
60	11,500	13,800	12,800	13,500	12,900					
65	11,000	13,500	12,400	13,200	12,900	11,900	12,500	11,700		
70	10,600	13,200	11,900	12,900	12,600	11,500	12,200	11,300	10,800	9,700
75	10,100	12,900	11,400	12,600	12,400	11,100	12,000	10,900	10,600	9,600
80	9,600	12,600	10,900	12,300	12,100	10,700	11,800	10,600	10,300	9,500
85	9,100	12,300	10,500	12,100	11,900	10,300	11,500	10,200	10,000	9,200
90	8,400	12,000	10,100	11,800	11,600	10,000	11,300	9,900	9,700	8,900
95	7,700	11,700	9,800	11,600	11,300	9,700	11,100	9,600	9,400	8,700
100		11,500	9,500	11,300	11,000	9,400	10,800	9,300	9,200	8,400
105		11,200	9,100	10,900	10,700	9,000	10,500	9,000	8,900	8,200
110		10,800	8,800	9,700	10,300	8,700	9,600	8,700	8,600	8,000
115		9,900	8,400	8,700	9,700	8,400	8,600	8,500	8,300	7,700
120		9,000	8,100	7,700	8,900	8,100	7,700	8,200	7,800	7,300
125		8,100	7,800	6,900	8,000	7,900	6,800	7,900	6,900	6,600
130		7,200	7,500	6,000	7,200	7,600	6,000	7,200	6,200	5,900
135		6,500	7,300	5,300	6,400	7,200	5,300	6,500	5,400	5,100
140		5,800	7,100	4,600	5,700	6,600	4,600	5,800	4,700	4,400
145		5,100	6,900	3,900	5,000	5,900	3,900	5,200	4,100	3,800
150		4,500	6,300	3,300	4,400	5,300	3,300	4,600	3,500	3,200
155		3,900	5,700	2,700	3,900	4,800	2,700	4,000	2,900	2,700
160		3,300	5,100		3,300	4,200		3,500	2,400	
165		2,800	4,600		2,800	3,700		3,000		
170		2,200	4,000		2,300	3,200		2,500		
175			3,500			2,700		2,000		
180			3,000			2,300				
185			2,500							
190			2,000							
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 20°	 55,100 lbs	 27 x 25 ft	 360°		
--	---	-------	--	--	---	--	--

# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension




 ft	 ft > < lbs		CODE >0064<		L138 0E21 .x(x)				
	174	184							
32									
34									
36									
38									
40									
45									
50									
55									
60									
65									
70	8,100	5,100							
75	7,800	4,700							
80	7,200	4,100							
85	6,600	3,600							
90	6,100	3,100							
95	5,600								
100	5,100								
105	4,700								
110	4,300								
115	3,900								
120	3,600								
125	3,200								
130	2,900								
135	2,600								
140	2,400								
145									
150									
155									
160									
165									
170									
175									
180									
185									
190									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 20°	 55,100 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0066< L138 0F21 .x(x)						
	43	135	135	148	148	148	161	161	174	184
32	13,800									
34	13,800									
36	13,800									
38	13,800									
40	13,700									
45	13,100									
50	12,500									
55	12,000	13,800	12,900	13,600	12,900					
60	11,500	13,800	12,800	13,500	12,900					
65	11,000	13,500	12,400	13,200	12,900	11,900	12,500	11,700		
70	10,600	13,200	11,900	12,900	12,600	11,500	12,200	11,300	10,800	9,700
75	10,100	12,900	11,400	12,600	12,400	11,100	12,000	10,900	10,600	9,600
80	9,600	12,600	10,900	12,300	12,100	10,700	11,800	10,600	10,300	9,500
85	9,100	12,300	10,500	12,100	11,900	10,300	11,500	10,200	10,000	9,200
90	8,400	12,000	10,100	11,800	11,600	10,000	11,300	9,900	9,700	8,900
95	7,700	11,700	9,800	11,600	11,300	9,700	11,100	9,600	9,400	8,700
100		11,500	9,500	11,400	11,000	9,400	10,800	9,300	9,200	8,400
105		11,200	9,100	11,200	10,700	9,000	10,500	9,000	8,900	8,200
110		11,000	8,800	11,000	10,300	8,700	10,200	8,700	8,600	8,000
115		10,800	8,400	10,800	10,000	8,400	9,900	8,500	8,400	7,700
120		10,600	8,100	10,600	9,700	8,100	9,600	8,200	8,100	7,500
125		10,400	7,800	10,300	9,400	7,900	9,300	7,900	7,900	7,300
130		10,100	7,500	9,600	9,100	7,600	9,000	7,700	7,700	7,100
135		9,800	7,300	8,800	8,800	7,400	8,600	7,500	7,500	6,900
140		9,200	7,100	8,000	8,500	7,200	8,000	7,300	7,300	6,700
145		8,400	6,900	7,200	8,200	7,000	7,200	7,100	7,100	6,500
150		7,700	6,700	6,500	7,600	6,800	6,500	6,900	6,600	6,300
155		7,000	6,500	5,800	6,900	6,600	5,800	6,700	6,000	5,700
160		6,300	6,200	5,200	6,300	6,400	5,200	6,400	5,400	5,100
165		5,600	6,000	4,600	5,700	6,200	4,600	5,900	4,800	4,500
170		5,000	5,800	4,000	5,100	6,000	4,000	5,300	4,200	4,000
175		4,400	5,600	3,400	4,500	5,400	3,500	4,800	3,700	3,400
180		3,800	5,400	2,800	3,900	4,800	3,000	4,300	3,200	3,000
185		3,200	5,000	2,300	3,400	4,300	2,500	3,700	2,800	2,500
190		2,700	4,500	1,800	2,900	3,800	2,000	3,200	2,300	2,100
195					2,400	3,300		2,800	1,900	
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 20°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension





				CODE >0066< L138 0F21 .x(x)							
	43	135	135	148	148	148	161	161	174	184	
200						2,800		2,300			
* n *	1	1	1	1	1	1	1	1	1	1	
	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
	2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
	3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
	4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
	5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
		23	23	23	23	23	23	23	23	23	23




	T	K 20° 69ft					
--	---	---------------	---	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension

 ft	 ft > < lbs		CODE >0066<		L138 0F21 .x(x)				
	174	184							
32									
34									
36									
38									
40									
45									
50									
55									
60									
65									
70	8,100	5,100							
75	7,800	4,700							
80	7,200	4,100							
85	6,600	3,600							
90	6,100	3,100							
95	5,600								
100	5,100								
105	4,700								
110	4,300								
115	3,900								
120	3,600								
125	3,200								
130	2,900								
135	2,600								
140	2,400								
145									
150									
155									
160									
165									
170									
175									
180									
185									
190									
195									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							





	T	K 20°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--






# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0068< L138 1021 .x(x)						
	43	135	135	148	148	148	161	161	174	184
32	13,800									
34	13,800									
36	13,800									
38	13,800									
40	13,700									
45	13,100									
50	12,500									
55	12,000	13,800	12,900	13,600	12,900					
60	11,500	13,800	12,800	13,500	12,900					
65	11,000	13,500	12,400	13,200	12,900	11,900	12,500	11,700		
70	10,600	13,200	11,900	12,900	12,600	11,500	12,200	11,300	10,800	9,700
75	10,100	12,900	11,400	12,600	12,400	11,100	12,000	10,900	10,600	9,600
80	9,600	12,600	10,900	12,300	12,100	10,700	11,800	10,600	10,300	9,500
85	9,100	12,300	10,500	12,100	11,900	10,300	11,500	10,200	10,000	9,200
90	8,400	12,000	10,100	11,800	11,600	10,000	11,300	9,900	9,700	8,900
95	7,700	11,700	9,800	11,600	11,300	9,700	11,100	9,600	9,400	8,700
100		11,500	9,500	11,400	11,000	9,400	10,800	9,300	9,200	8,400
105		11,200	9,100	11,200	10,700	9,000	10,500	9,000	8,900	8,200
110		11,000	8,800	11,000	10,300	8,700	10,200	8,700	8,600	8,000
115		10,800	8,400	10,800	10,000	8,400	9,900	8,500	8,400	7,700
120		10,600	8,100	10,600	9,700	8,100	9,600	8,200	8,100	7,500
125		10,400	7,800	10,400	9,400	7,900	9,300	7,900	7,900	7,300
130		10,100	7,500	10,200	9,100	7,600	9,000	7,700	7,700	7,100
135		9,900	7,300	10,000	8,800	7,400	8,800	7,500	7,500	6,900
140		9,600	7,100	9,800	8,500	7,200	8,500	7,300	7,300	6,700
145		9,400	6,900	9,600	8,200	7,000	8,300	7,100	7,100	6,600
150		9,100	6,700	9,300	8,000	6,800	8,100	6,900	6,900	6,400
155		8,800	6,500	8,900	7,700	6,600	7,800	6,700	6,800	6,200
160		8,400	6,200	8,500	7,500	6,400	7,600	6,500	6,600	6,000
165		8,100	6,000	8,000	7,300	6,200	7,400	6,400	6,500	5,900
170		7,800	5,800	7,400	7,000	6,000	7,200	6,200	6,300	5,700
175		7,500	5,600	6,900	6,800	5,800	6,900	6,000	6,100	5,500
180		7,100	5,400	6,300	6,500	5,600	6,400	5,900	5,900	5,400
185		6,600	5,100	5,800	6,300	5,400	6,000	5,700	5,800	5,200
190		6,100	4,900	5,300	6,100	5,100	5,500	5,500	5,600	5,100
195				4,800	5,700	4,900	5,000	5,400	5,300	4,800
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 20°	 110,200 lbs	 27 x 25 ft	 360°		
--	---	-------	---	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0068< L138 1021 .x(x)							
	43	135	135	148	148	148	161	161	174	184	
200					5,300	4,700	4,500	5,200	4,800	4,600	
205							4,000	5,000	4,400	4,200	
210									3,900	3,800	
215									3,400	3,300	
220									2,900	2,800	
225										2,400	
* n *	1	1	1	1	1	1	1	1	1	1	
 %	1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23	




	T	K 20° 69ft	 110,200 lbs	 27 x 25 ft	 360°		
--	---	---------------	---	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 20° Offset, 69' Extension

 ft	 ft > < lbs		CODE >0068<		L138 1021 .x(x)				
	174	184							
32									
34									
36									
38									
40									
45									
50									
55									
60									
65									
70	8,100	5,100							
75	7,800	4,700							
80	7,200	4,100							
85	6,600	3,600							
90	6,100	3,100							
95	5,600								
100	5,100								
105	4,700								
110	4,300								
115	3,900								
120	3,600								
125	3,200								
130	2,900								
135	2,600								
140	2,400								
145									
150									
155									
160									
165									
170									
175									
180									
185									
190									
195									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							

	T	K 20°	 110,200 lbs	 27 x 25 ft	 360°		
--	---	-------	---	---	--	--	--

