








STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension




 ft	 ft > < lbs			CODE >0084< L138 0E30 .x(x)						
	43	135	135	148	148	148	161	161	174	184
28	19,900									
30	19,800									
32	19,700									
34	19,300									
36	18,900									
38	18,600									
40	18,200									
45	17,600									
50	16,900	19,900	17,400	19,900	17,400	17,400				
55	15,500	19,700	17,400	19,700	17,400	17,400	17,400	17,400		
60	13,500	19,300	17,400	19,300	17,400	17,400	17,400	17,400		
65	11,800	18,900	17,400	18,900	17,400	17,400	17,400	17,200	16,500	15,000
70		18,500	16,900	18,500	17,400	16,700	17,400	16,500	16,000	14,500
75		18,100	16,200	18,200	17,400	16,000	17,400	15,800	15,400	14,000
80		17,800	15,400	17,600	17,400	15,300	17,100	15,200	14,900	13,500
85		17,300	14,700	16,000	17,200	14,600	15,900	14,600	14,300	13,000
90		15,700	14,000	14,300	15,600	14,000	14,300	14,000	13,800	12,500
95		14,000	13,300	12,700	14,000	13,400	12,700	13,500	12,800	12,100
100		12,600	12,800	11,200	12,600	12,900	11,300	12,700	11,500	11,400
105		11,200	12,200	9,900	11,200	12,300	10,000	11,400	10,200	10,300
110		10,000	11,600	8,700	10,100	11,100	8,800	10,300	9,100	9,100
115		8,900	10,900	7,600	9,000	10,100	7,800	9,300	8,100	8,100
120		7,900	10,100	6,600	8,000	9,100	6,800	8,300	7,100	7,200
125		7,000	9,100	5,700	7,100	8,200	5,900	7,400	6,200	6,300
130		6,100	8,300	4,900	6,300	7,300	5,100	6,600	5,400	5,500
135		5,300	7,400	4,100	5,500	6,600	4,300	5,800	4,700	4,700
140		4,500	6,600	3,400	4,700	5,800	3,600	5,100	3,900	4,000
145		3,700	5,800		4,100	5,100	2,900	4,400	3,300	3,300
150		2,900	5,100		3,400	4,400	2,300	3,800	2,700	2,700
155					2,700	3,700		3,200		2,200
160						3,100		2,600		
* n *	2	2	1	2	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 40°	 55,100 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension




 ft	 ft > < lbs		CODE >0084<		L138 0E30 .x(x)				
	174	184							
28									
30									
32									
34									
36									
38									
40									
45									
50									
55									
60									
65	9,400	6,400							
70	8,700	5,800							
75	8,100	5,200							
80	7,500	4,600							
85	6,900	4,000							
90	6,400	3,500							
95	5,900								
100	5,400								
105	5,000								
110	4,600								
115	4,200								
120	3,800								
125	3,500								
130	3,200								
135	2,900								
140	2,600								
145	2,400								
150	2,200								
155									
160									
* n *	1	1							
1	92-	100-							
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 40° 37ft	 55,100 lbs	 27 x 25 ft	 360°		
--	---	---------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension





 ft	 ft > < lbs			CODE >0086< L138 0F30 .x(x)						
	43	135	135	148	148	148	161	161	174	184
28	19,900									
30	19,800									
32	19,700									
34	19,300									
36	18,900									
38	18,600									
40	18,200									
45	17,600									
50	16,900	19,900	17,400	19,900	17,400	17,400				
55	15,500	19,700	17,400	19,700	17,400	17,400	17,400	17,400		
60	13,500	19,300	17,400	19,300	17,400	17,400	17,400	17,400		
65	11,800	18,900	17,400	18,900	17,400	17,400	17,400	17,200	16,500	15,000
70		18,500	16,900	18,500	17,400	16,700	17,400	16,500	16,000	14,500
75		18,100	16,200	18,200	17,400	16,000	17,400	15,800	15,400	14,000
80		17,800	15,400	17,900	17,400	15,300	17,300	15,200	14,900	13,500
85		17,600	14,700	17,700	17,200	14,600	17,000	14,600	14,300	13,000
90		17,400	14,000	17,500	16,600	14,000	16,400	14,000	13,800	12,500
95		17,200	13,300	17,000	15,800	13,400	15,700	13,500	13,300	12,100
100		16,800	12,800	16,000	15,100	12,900	15,100	12,900	12,800	11,700
105		15,900	12,200	14,500	14,500	12,400	14,500	12,500	12,400	11,200
110		14,500	11,600	13,100	13,800	11,800	13,200	12,000	12,000	10,800
115		13,200	10,900	11,900	13,000	11,300	11,900	11,600	11,500	10,400
120		12,000	10,400	10,700	12,100	10,700	10,800	11,100	10,900	10,100
125		10,900	10,000	9,600	11,000	10,200	9,700	10,600	10,000	9,700
130		9,800	9,600	8,600	10,000	9,900	8,800	10,100	9,100	9,000
135		8,800	9,200	7,700	9,100	9,500	7,900	9,400	8,200	8,200
140		7,900	8,800	6,900	8,200	9,000	7,000	8,500	7,400	7,400
145		6,900	8,400	6,000	7,300	8,400	6,300	7,800	6,600	6,600
150		6,100	8,100	5,200	6,500	7,600	5,500	7,000	5,900	5,900
155				4,400	5,700	6,800	4,800	6,300	5,200	5,200
160				3,600	5,000	6,100	4,100	5,600	4,600	4,600
165							3,400	4,900	4,000	4,000
170							2,700	4,200	3,300	3,500
175							2,100	3,600	2,800	2,900
180									2,200	2,300
* n *	2	2	1	2	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 40°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension




 ft	 ft > < lbs		CODE >0086<		L138 0F30 .x(x)				
	174	184							
28									
30									
32									
34									
36									
38									
40									
45									
50									
55									
60									
65	9,400	6,400							
70	8,700	5,800							
75	8,100	5,200							
80	7,500	4,600							
85	6,900	4,000							
90	6,400	3,500							
95	5,900								
100	5,400								
105	5,000								
110	4,600								
115	4,200								
120	3,800								
125	3,500								
130	3,200								
135	2,900								
140	2,600								
145	2,400								
150	2,200								
155									
160									
165									
170									
175									
180									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 40°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension





 ft	 ft > < lbs			CODE >0088< L138 1030 .x(x)						
	43	135	135	148	148	148	161	161	174	184
28	19,900									
30	19,800									
32	19,700									
34	19,300									
36	18,900									
38	18,600									
40	18,200									
45	17,600									
50	16,900	19,900	17,400	19,900	17,400	17,400				
55	15,500	19,700	17,400	19,700	17,400	17,400	17,400	17,400		
60	13,500	19,300	17,400	19,300	17,400	17,400	17,400	17,400		
65	11,800	18,900	17,400	18,900	17,400	17,400	17,400	17,200	16,500	15,000
70		18,500	16,900	18,500	17,400	16,700	17,400	16,500	16,000	14,500
75		18,100	16,200	18,200	17,400	16,000	17,400	15,800	15,400	14,000
80		17,800	15,400	17,900	17,400	15,300	17,300	15,200	14,900	13,500
85		17,600	14,700	17,700	17,200	14,600	17,000	14,600	14,300	13,000
90		17,400	14,000	17,500	16,600	14,000	16,400	14,000	13,800	12,500
95		17,200	13,300	17,300	15,800	13,400	15,700	13,500	13,300	12,100
100		16,900	12,800	17,100	15,100	12,900	15,100	12,900	12,800	11,700
105		16,600	12,200	16,900	14,500	12,400	14,500	12,500	12,400	11,200
110		15,700	11,600	16,100	13,800	11,800	13,900	12,000	12,000	10,800
115		14,900	10,900	15,200	13,300	11,300	13,400	11,600	11,500	10,400
120		14,200	10,400	14,300	12,700	10,700	12,900	11,100	11,100	10,100
125		13,500	10,000	13,500	12,100	10,200	12,300	10,600	10,700	9,700
130		12,900	9,600	12,600	11,500	9,900	11,900	10,200	10,400	9,300
135		12,300	9,200	11,600	11,000	9,500	11,300	9,800	10,000	9,100
140		11,500	8,800	10,600	10,500	9,100	10,600	9,500	9,700	8,800
145		10,500	8,400	9,700	10,100	8,700	9,900	9,200	9,400	8,500
150		9,600	8,100	8,900	9,700	8,300	9,200	8,900	9,100	8,300
155				8,200	9,100	7,900	8,400	8,600	8,700	7,900
160				7,500	8,500	7,500	7,800	8,200	8,200	7,500
165							7,200	7,900	7,600	7,200
170							6,600	7,600	7,000	6,800
175							6,000	7,100	6,400	6,400
180									5,900	6,000
185									5,400	5,500
* n *	2	2	1	2	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 40°					
		37ft	110,200 lbs	27 x 25 ft	360°		

STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension





 ft	 ft > < lbs		CODE >0088<		L138 1030 .x(x)				
	174	184							
28									
30									
32									
34									
36									
38									
40									
45									
50									
55									
60									
65	9,400	6,400							
70	8,700	5,800							
75	8,100	5,200							
80	7,500	4,600							
85	6,900	4,000							
90	6,400	3,500							
95	5,900								
100	5,400								
105	5,000								
110	4,600								
115	4,200								
120	3,800								
125	3,500								
130	3,200								
135	2,900								
140	2,600								
145	2,400								
150	2,200								
155									
160									
165									
170									
175									
180									
185									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 40° 37ft	 110,200 lbs	 27 x 25 ft	 360°		
--	---	---------------	---	---	--	--	--

STERLING CRANE

85%

Folding Fly, 40° Offset, 37' Extension

 ft	 ft > < lbs		CODE >0088< L138 1030 .x(x)							
	174	184								
190										
195										
* n *	1	1								
 %	1	92-	100-							
	2	92-	100-							
	3	92-	100-							
	4	92-	100-							
	5	92-	100-							
 ft/s	23	23								

	T	K 40° 37ft	 110,200 lbs	 27 x 25 ft	 360°		
--	---	---------------	---	---	--	--	--