






















# STERLING CRANE

85%

## Folding Fly, 40° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0096< L138 0F31 .x(x)						
	43	135	135	148	148	148	161	161	174	184
50	10,700									
55	10,500									
60	10,100									
65	9,600									
70	9,200									
75	8,900	10,200	9,700	9,900	9,700	9,500				
80	8,700	10,200	9,700	9,900	9,700	9,500				
85	8,500	10,000	9,600	9,900	9,700	9,400	9,500	9,200		
90	8,300	9,800	9,400	9,700	9,600	9,300	9,400	9,100	9,000	8,500
95	7,800	9,600	9,200	9,500	9,400	9,100	9,300	8,900	8,900	8,400
100		9,400	8,900	9,300	9,200	8,900	9,100	8,800	8,700	8,200
105		9,200	8,700	9,200	9,100	8,600	9,000	8,600	8,500	8,000
110		9,100	8,500	9,100	9,000	8,400	8,900	8,400	8,300	7,900
115		9,000	8,300	8,900	8,800	8,200	8,800	8,200	8,200	7,700
120		8,800	8,000	8,800	8,700	8,000	8,600	8,000	8,000	7,500
125		8,700	7,800	8,700	8,600	7,900	8,500	7,800	7,800	7,300
130		8,600	7,600	8,600	8,500	7,600	8,400	7,700	7,600	7,100
135		8,600	7,400	8,500	8,500	7,400	8,400	7,500	7,400	6,900
140		8,500	7,100	8,400	8,400	7,200	8,300	7,300	7,300	6,700
145		8,400	6,900	8,200	8,300	7,000	8,200	7,100	7,100	6,600
150		8,300	6,700	7,400	8,100	6,800	7,400	6,900	6,900	6,400
155		7,700	6,600	6,600	7,600	6,700	6,700	6,800	6,700	6,300
160		6,900	6,300	5,900	7,000	6,500	6,000	6,600	6,200	5,900
165		6,100	6,100	5,200	6,300	6,400	5,300	6,400	5,600	5,400
170		5,300	5,900	4,600	5,600	6,100	4,700	5,900	5,000	4,800
175		4,600	5,700	3,900	4,900	5,700	4,100	5,300	4,400	4,200
180				3,200	4,300	5,200	3,500	4,700	3,800	3,600
185				2,500	3,600	4,500	2,900	4,100	3,300	3,100
190				1,900	3,000	3,900	2,300	3,500	2,800	2,600
195								3,000	2,300	2,100
200								2,400		
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 40°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	--	---	--	--

# STERLING CRANE

85%

## Folding Fly, 40° Offset, 69' Extension





 ft	 ft > < lbs		CODE >0096<		L138 0F31 .x(x)				
	174	184							
50									
55									
60									
65									
70									
75									
80									
85									
90	6,600	3,800							
95	6,300	3,500							
100	5,800	3,000							
105	5,300								
110	4,900								
115	4,500								
120	4,100								
125	3,700								
130	3,400								
135	3,000								
140	2,700								
145	2,500								
150	2,200								
155									
160									
165									
170									
175									
180									
185									
190									
195									
200									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 40°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	-------	--	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 40° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0098< L138 1031 .x(x)						
	43	135	135	148	148	148	161	161	174	184
50	10,700									
55	10,500									
60	10,100									
65	9,600									
70	9,200									
75	8,900	10,200	9,700	9,900	9,700	9,500				
80	8,700	10,200	9,700	9,900	9,700	9,500				
85	8,500	10,000	9,600	9,900	9,700	9,400	9,500	9,200		
90	8,300	9,800	9,400	9,700	9,600	9,300	9,400	9,100	9,000	8,500
95	7,800	9,600	9,200	9,500	9,400	9,100	9,300	8,900	8,900	8,400
100		9,400	8,900	9,300	9,200	8,900	9,100	8,800	8,700	8,200
105		9,200	8,700	9,200	9,100	8,600	9,000	8,600	8,500	8,000
110		9,100	8,500	9,100	9,000	8,400	8,900	8,400	8,300	7,900
115		9,000	8,300	8,900	8,800	8,200	8,800	8,200	8,200	7,700
120		8,800	8,000	8,800	8,700	8,000	8,600	8,000	8,000	7,500
125		8,700	7,800	8,700	8,600	7,900	8,500	7,800	7,800	7,300
130		8,600	7,600	8,600	8,500	7,600	8,400	7,700	7,600	7,100
135		8,600	7,400	8,500	8,500	7,400	8,400	7,500	7,400	6,900
140		8,500	7,100	8,500	8,400	7,200	8,300	7,300	7,300	6,700
145		8,400	6,900	8,400	8,300	7,000	8,300	7,100	7,100	6,600
150		8,400	6,700	8,400	8,100	6,800	8,100	6,900	6,900	6,400
155		8,400	6,600	8,300	7,900	6,700	7,900	6,800	6,800	6,300
160		8,400	6,300	8,300	7,600	6,500	7,700	6,600	6,700	6,200
165		8,200	6,100	8,300	7,400	6,400	7,500	6,500	6,500	6,000
170		8,000	5,900	7,800	7,200	6,100	7,300	6,300	6,400	5,900
175		7,700	5,700	7,200	6,900	5,900	7,100	6,200	6,300	5,700
180				6,600	6,700	5,700	6,800	6,000	6,100	5,500
185				6,000	6,400	5,500	6,300	5,800	6,000	5,400
190				5,400	6,100	5,200	5,700	5,700	5,800	5,200
195							5,200	5,500	5,500	5,000
200							4,700	5,300	5,100	4,800
205									4,600	4,500
210									4,000	4,000
215									3,400	3,500
220										3,000
225										2,500
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 40°	 110,200 lbs	 27 x 25 ft	 360°		
--	---	-------	---	---	--	--	--

# STERLING CRANE

85%

## Folding Fly, 40° Offset, 69' Extension

 ft	 ft > < lbs		CODE >0098<		L138 1031 .x(x)				
	174	184							
50									
55									
60									
65									
70									
75									
80									
85									
90	6,600	3,800							
95	6,300	3,500							
100	5,800	3,000							
105	5,300								
110	4,900								
115	4,500								
120	4,100								
125	3,700								
130	3,400								
135	3,000								
140	2,700								
145	2,500								
150	2,200								
155									
160									
165									
170									
175									
180									
185									
190									
195									
200									
205									
210									
215									
220									
225									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							

	T	K 40°	 110,200 lbs	 27 x 25 ft	 360°		
--	---	-------	---	---	--	--	--