







STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 92' Extension




 ft	 ft > < lbs				CODE >0210<		L138 0F36 .x(x)			
	43	148	161	174						
75	4,900									
80	4,800									
85	4,700									
90	4,500									
95	4,300									
100	4,100	4,900								
105	3,900	4,900								
110	3,600	4,800	4,700							
115	3,400	4,700	4,600	4,400						
120	3,300	4,600	4,500	4,400						
125	3,100	4,500	4,400	4,300						
130	2,900	4,400	4,300	4,200						
135	2,600	4,300	4,300	4,100						
140		4,200	4,100	4,100						
145		4,000	4,000	4,000						
150		3,900	3,900	3,900						
155		3,800	3,800	3,800						
160		3,700	3,700	3,700						
165		3,600	3,600	3,600						
170		3,500	3,500	3,500						
175		3,400	3,400	3,400						
180		3,300	3,300	3,300						
185		3,200	3,300	3,300						
190		3,100	3,200	3,100						
195		3,000	3,100	2,700						
200		2,900	2,900	2,200						
205		2,800	2,600							
210		2,700								
215		2,300								
* n *	1	1	1	1						
1	0+	0+	46+	92+						
2	0+	92+	92+	92+						
3	0+	92+	92+	92+						
4	0+	92+	92+	92+						
5	0+	92+	92+	92+						
 ft/s	28	28	28	28						




	T	VK 40° 92ft	 77,200 lbs	 27 x 25 ft	 360°		
--	---	----------------	--	---	--	--	--

STERLING CRANE

85%

Folding Fly, Lattice Extension, 40° Offset, 92' Extension

 ft	 ft > < lbs				CODE >0212<		L138 1036 .x(x)			
	43	148	161	174						
75	4,900									
80	4,800									
85	4,700									
90	4,500									
95	4,300									
100	4,100	4,900								
105	3,900	4,900								
110	3,600	4,800	4,700							
115	3,400	4,700	4,600	4,400						
120	3,300	4,600	4,500	4,400						
125	3,100	4,500	4,400	4,300						
130	2,900	4,400	4,300	4,200						
135	2,600	4,300	4,300	4,100						
140		4,200	4,100	4,100						
145		4,000	4,000	4,000						
150		3,900	3,900	3,900						
155		3,800	3,800	3,800						
160		3,700	3,700	3,700						
165		3,600	3,600	3,600						
170		3,500	3,500	3,500						
175		3,400	3,400	3,400						
180		3,300	3,300	3,300						
185		3,200	3,300	3,300						
190		3,100	3,200	3,200						
195		3,000	3,100	3,100						
200		2,900	3,000	3,000						
205		2,800	2,900	2,900						
210		2,700	2,800	2,900						
215		2,600	2,700	2,800						
220		2,500	2,600	2,700						
225		2,400	2,600	2,600						
230		2,300	2,500	2,500						
235		2,100	2,400	2,300						
240			2,300							
* n *	1	1	1	1						
1	0+	0+	46+	92+						
2	0+	92+	92+	92+						
3	0+	92+	92+	92+						
4	0+	92+	92+	92+						
5	0+	92+	92+	92+						
 ft/s	28	28	28	28						

	T	VK 40° 92ft	 110,200 lbs	 27 x 25 ft	 360°		
--	---	----------------	--	--	---	--	--