








STERLING CRANE





Folding Fly, 0° Offset, 69' Extension




 ft	 ft > < lbs			CODE >0031< L138 0C11.x(x)						
	43	135	135	148	148	148	161	161	174	184
14	15,400									
15	15,400									
16	15,300									
17	15,200									
18	15,100									
20	14,900									
22	14,700									
24	14,600									
26	14,400									
28	14,300	15,400	13,200							
30	14,100	15,400	13,200							
32	14,000	15,400	13,200	14,300	13,700	13,000				
34	13,800	15,400	13,200	14,300	13,700	13,000				
36	13,600	15,300	13,200	14,300	13,700	12,900	13,000	12,200		
38	13,400	15,100	13,200	14,300	13,700	12,900	13,000	12,200	11,300	
40	13,100	15,000	13,200	14,300	13,700	12,900	13,000	12,100	11,300	
45	12,600	14,800	13,200	14,100	13,700	12,700	13,000	12,100	11,200	9,700
50	12,200	14,600	13,200	13,400	13,600	12,600	12,800	11,900	11,200	9,700
55	11,600	13,500	13,100	12,000	12,800	12,400	11,700	11,800	10,700	9,600
60	10,900	11,700	12,800	10,000	11,400	12,100	9,700	11,200	9,700	9,100
65	10,100	9,900	12,000	8,200	9,600	10,700	8,000	9,500	8,000	7,500
70	9,300	8,400	10,500	6,700	8,100	9,200	6,600	8,100	6,600	6,100
75	8,600	7,000	9,200	5,400	6,800	7,900	5,300	6,800	5,400	4,900
80	8,000	5,800	7,900		5,600	6,700		5,600	4,200	
85	7,400	4,700	6,800		4,600	5,600		4,600	3,200	
90	7,000	3,800	5,900		3,600	4,700		3,700		
95	6,400		5,000			3,900				
100			4,200							
105			3,500							
110			2,900							
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23

	T	K 0°	 15,400 lbs	 27 x 25 ft	 360°		
--	---	------	------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	--	--

STERLING CRANE





Folding Fly, 0° Offset, 69' Extension




 ft	 ft > < lbs			CODE >0032< L138 0D11.x(x)						
	43	135	135	148	148	148	161	161	174	184
14	15,400									
15	15,400									
16	15,300									
17	15,200									
18	15,100									
20	14,900									
22	14,700									
24	14,600									
26	14,400									
28	14,300	15,400	13,200							
30	14,100	15,400	13,200							
32	14,000	15,400	13,200	14,300	13,700	13,000				
34	13,800	15,400	13,200	14,300	13,700	13,000				
36	13,600	15,300	13,200	14,300	13,700	12,900	13,000	12,200		
38	13,400	15,100	13,200	14,300	13,700	12,900	13,000	12,200	11,300	
40	13,100	15,000	13,200	14,300	13,700	12,900	13,000	12,100	11,300	
45	12,600	14,800	13,200	14,100	13,700	12,700	13,000	12,100	11,200	9,700
50	12,200	14,600	13,200	13,900	13,600	12,600	12,900	11,900	11,200	9,700
55	11,600	14,400	13,100	13,700	13,400	12,400	12,700	11,800	11,100	9,700
60	10,900	14,200	12,900	13,500	13,200	12,300	12,500	11,700	11,100	9,700
65	10,100	14,000	12,400	13,300	13,000	11,800	12,300	11,600	11,000	9,700
70	9,300	13,300	11,800	12,000	12,700	11,400	11,500	11,200	10,600	9,500
75	8,600	12,100	11,300	10,400	11,800	10,900	10,200	10,700	9,900	9,100
80	8,000	10,600	10,700	9,000	10,300	10,400	8,800	10,100	8,800	8,300
85	7,400	9,200	10,200	7,700	9,000	10,000	7,500	9,000	7,600	7,100
90	7,000	8,100	9,800	6,500	7,900	8,900	6,400	7,900	6,500	6,100
95	6,400	7,000	9,000	5,500	6,800	7,900	5,400	6,800	5,500	5,100
100		6,000	8,100	4,600	5,900	6,900	4,500	5,900	4,600	4,200
105		5,200	7,200	3,700	5,000	6,000	3,600	5,100	3,800	
110		4,400	6,400	3,000	4,200	5,300	2,900	4,300	3,000	
115		3,700	5,700		3,500	4,500		3,600		
120		3,000	5,000			3,900		3,000		
125			4,400			3,300				
130			3,800			2,700				
135			3,300							
140			2,800							
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23

	T	K 0°	 33,100 lbs	 27 x 25 ft	 360°		
--	---	------	------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------	--	--

STERLING CRANE

Folding Fly, 0° Offset, 69' Extension





 ft	 ft > < lbs		CODE >0032<		L138 0D11.x(x)				
	174	184							
14									
15									
16									
17									
18									
20									
22									
24									
26									
28									
30									
32									
34									
36									
38	11,300								
40	11,300								
45	11,200	7,800							
50	10,500	7,100							
55	9,700	6,200							
60	8,900	5,400							
65	8,200	4,700							
70	7,500	4,100							
75	6,900								
80	6,300								
85	5,800								
90	5,300								
95	4,900								
100	4,400								
105	3,800								
110	3,000								
115									
120									
125									
130									
135									
140									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 0°	 33,100 lbs	 27 x 25 ft	 360°		
--	---	------	------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 69' Extension





 ft	 ft > < lbs			CODE >0034< L138 0E11 .x(x)						
	43	135	135	148	148	148	161	161	174	184
13	17,000									
14	17,000									
15	16,900									
16	16,800									
17	16,700									
18	16,600									
20	16,400									
22	16,200									
24	16,000									
26	15,900									
28	15,700	17,000	14,600							
30	15,600	17,000	14,600							
32	15,400	17,000	14,600	15,800	15,000	14,300				
34	15,200	16,900	14,600	15,800	15,000	14,300				
36	14,900	16,800	14,600	15,800	15,000	14,200	14,300	13,400		
38	14,700	16,700	14,600	15,800	15,000	14,200	14,300	13,400	12,400	
40	14,500	16,500	14,600	15,700	15,000	14,100	14,300	13,300	12,400	
45	13,900	16,300	14,600	15,500	15,000	14,000	14,300	13,300	12,400	10,700
50	13,400	16,000	14,500	15,300	14,900	13,900	14,100	13,100	12,300	10,700
55	12,800	15,800	14,400	15,100	14,800	13,700	14,000	13,000	12,300	10,700
60	12,000	15,600	14,200	14,900	14,500	13,500	13,700	12,900	12,200	10,700
65	11,100	15,400	13,600	14,700	14,300	13,000	13,600	12,800	12,100	10,600
70	10,200	15,100	13,000	14,500	14,100	12,500	13,400	12,300	11,700	10,400
75	9,500	14,800	12,400	14,300	13,900	12,000	13,200	11,800	11,300	10,200
80	8,800	14,400	11,800	14,000	13,700	11,500	13,000	11,400	10,900	9,900
85	8,200	14,100	11,200	13,700	13,300	11,000	12,900	10,900	10,500	9,600
90	7,700	13,600	10,700	12,400	12,800	10,600	12,000	10,600	10,200	9,400
95	7,000	12,600	10,200	11,000	12,000	10,200	10,900	10,200	9,900	9,100
100		11,300	9,800	9,800	11,100	9,800	9,700	9,800	9,400	8,700
105		10,200	9,400	8,700	10,000	9,400	8,600	9,500	8,700	8,300
110		9,200	9,100	7,700	9,000	9,100	7,600	8,900	7,700	7,300
115		8,300	8,700	6,800	8,100	8,700	6,700	8,100	6,800	6,500
120		7,400	8,400	6,000	7,200	8,200	5,900	7,300	6,000	5,600
125		6,600	8,100	5,200	6,400	7,500	5,100	6,500	5,300	4,900
130		5,900	7,800	4,500	5,700	6,700	4,400	5,800	4,600	4,200
135		5,200	7,200	3,800	5,100	6,100	3,800	5,200	3,900	3,600
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 %										
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 0°	 55,100 lbs	 27 x 25 ft	 360°		
--	---	------	------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 69' Extension




 ft	 ft > < lbs		CODE >0034<		L138 0E11 .x(x)				
	174	184							
13									
14									
15									
16									
17									
18									
20									
22									
24									
26									
28									
30									
32									
34									
36									
38	12,400								
40	12,300								
45	11,400	7,800							
50	10,500	7,100							
55	9,700	6,200							
60	8,900	5,400							
65	8,200	4,700							
70	7,500	4,100							
75	6,900								
80	6,300								
85	5,800								
90	5,300								
95	4,900								
100	4,400								
105	4,000								
110	3,700								
115	3,300								
120	3,000								
125	2,700								
130	2,400								
135									
* n *	1	1							
 %	1	92-	100-						
2	92-	100-							
3	92-	100-							
4	92-	100-							
5	92-	100-							
 ft/s	23	23							




	T	K 0°	 55,100 lbs	 27 x 25 ft	 360°		
--	---	------	------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 69' Extension




 ft	 ft > < lbs			CODE >0036< L138 0F11 .x(x)						
	43	135	135	148	148	148	161	161	174	184
13	17,000									
14	17,000									
15	16,900									
16	16,800									
17	16,700									
18	16,600									
20	16,400									
22	16,200									
24	16,000									
26	15,900									
28	15,700	17,000	14,600							
30	15,600	17,000	14,600							
32	15,400	17,000	14,600	15,800	15,000	14,300				
34	15,200	16,900	14,600	15,800	15,000	14,300				
36	14,900	16,800	14,600	15,800	15,000	14,200	14,300	13,400		
38	14,700	16,700	14,600	15,800	15,000	14,200	14,300	13,400	12,400	
40	14,500	16,500	14,600	15,700	15,000	14,100	14,300	13,300	12,400	
45	13,900	16,300	14,600	15,500	15,000	14,000	14,300	13,300	12,400	10,700
50	13,400	16,000	14,500	15,300	14,900	13,900	14,100	13,100	12,300	10,700
55	12,800	15,800	14,400	15,100	14,800	13,700	14,000	13,000	12,300	10,700
60	12,000	15,600	14,200	14,900	14,500	13,500	13,700	12,900	12,200	10,700
65	11,100	15,400	13,600	14,700	14,300	13,000	13,600	12,800	12,100	10,600
70	10,200	15,100	13,000	14,500	14,100	12,500	13,400	12,300	11,700	10,400
75	9,500	14,800	12,400	14,300	13,900	12,000	13,200	11,800	11,300	10,200
80	8,800	14,400	11,800	14,000	13,700	11,500	13,000	11,400	10,900	9,900
85	8,200	14,100	11,200	13,700	13,300	11,000	12,900	10,900	10,500	9,600
90	7,700	13,800	10,700	13,500	12,800	10,600	12,500	10,600	10,200	9,400
95	7,000	13,600	10,200	13,200	12,200	10,200	12,000	10,200	9,900	9,100
100		13,300	9,800	13,000	11,700	9,800	11,500	9,800	9,600	8,800
105		13,000	9,400	12,700	11,200	9,400	11,100	9,500	9,300	8,500
110		12,600	9,100	11,900	10,700	9,100	10,700	9,100	9,000	8,300
115		12,100	8,700	10,900	10,300	8,700	10,300	8,800	8,700	8,000
120		11,400	8,400	9,900	9,900	8,500	9,700	8,500	8,500	7,800
125		10,400	8,100	9,000	9,500	8,200	8,900	8,200	8,200	7,500
130		9,600	7,800	8,100	9,100	7,900	8,000	8,000	8,000	7,300
135		8,800	7,400	7,300	8,500	7,600	7,300	7,800	7,400	6,900
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23




	T	K 0°	 77,200 lbs	 27 x 25 ft	 360°		
--	---	------	------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	--	--

STERLING CRANE

85%

Folding Fly, 0° Offset, 69' Extension

 ft	 ft > < lbs			CODE >0038< L138 1011 .x(x)						
	43	135	135	148	148	148	161	161	174	184
13	17,000									
14	17,000									
15	16,900									
16	16,800									
17	16,700									
18	16,600									
20	16,400									
22	16,200									
24	16,000									
26	15,900									
28	15,700	17,000	14,600							
30	15,600	17,000	14,600							
32	15,400	17,000	14,600	15,800	15,000	14,300				
34	15,200	16,900	14,600	15,800	15,000	14,300				
36	14,900	16,800	14,600	15,800	15,000	14,200	14,300	13,400		
38	14,700	16,700	14,600	15,800	15,000	14,200	14,300	13,400	12,400	
40	14,500	16,500	14,600	15,700	15,000	14,100	14,300	13,300	12,400	
45	13,900	16,300	14,600	15,500	15,000	14,000	14,300	13,300	12,400	10,700
50	13,400	16,000	14,500	15,300	14,900	13,900	14,100	13,100	12,300	10,700
55	12,800	15,800	14,400	15,100	14,800	13,700	14,000	13,000	12,300	10,700
60	12,000	15,600	14,200	14,900	14,500	13,500	13,700	12,900	12,200	10,700
65	11,100	15,400	13,600	14,700	14,300	13,000	13,600	12,800	12,100	10,600
70	10,200	15,100	13,000	14,500	14,100	12,500	13,400	12,300	11,700	10,400
75	9,500	14,800	12,400	14,300	13,900	12,000	13,200	11,800	11,300	10,200
80	8,800	14,400	11,800	14,000	13,700	11,500	13,000	11,400	10,900	9,900
85	8,200	14,100	11,200	13,700	13,300	11,000	12,900	10,900	10,500	9,600
90	7,700	13,800	10,700	13,500	12,800	10,600	12,500	10,600	10,200	9,400
95	7,000	13,600	10,200	13,200	12,200	10,200	12,000	10,200	9,900	9,100
100		13,300	9,800	13,000	11,700	9,800	11,500	9,800	9,600	8,800
105		13,000	9,400	12,700	11,200	9,400	11,100	9,500	9,300	8,500
110		12,600	9,100	12,500	10,700	9,100	10,700	9,100	9,000	8,300
115		12,100	8,700	12,100	10,300	8,700	10,300	8,800	8,700	8,000
120		11,600	8,400	11,600	9,900	8,500	9,900	8,500	8,500	7,800
125		11,200	8,100	11,200	9,500	8,200	9,600	8,200	8,200	7,500
130		10,700	7,800	10,600	9,100	7,900	9,200	8,000	8,000	7,300
135		10,200	7,400	10,100	8,900	7,600	8,900	7,800	7,700	7,000
* n *	1	1	1	1	1	1	1	1	1	1
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+
 ft/s	23	23	23	23	23	23	23	23	23	23

	T	K 0°	 110,200 lbs	 27 x 25 ft	 360°		
--	---	------	-------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	--	--

